

Sizes: 35 - 49

Available Colours: ● ○



Greatly comfortable, closed-back sandal to work in warm environments; made through Direct Injection. The joint of upper and sole together is one piece molded shoe, neither stitched nor glued, which leads to: **Quality, durability, ultra light weight, best stability, flexible soles and Ergonomic values.**

It is CE certified antistatic and non skid soles with shock absorption. With soft and breathable uppers and great resistance against chemical products, oils or solvents. Washable in washing machine. Their excellent thermal comfort eliminates 90% of heat accumulation generated in the feet, taking away all staff problems related with using inappropriate footwear.

Made according to the norm CE ISO EN 20 347

Component	Material	Characteristics and Benefits
Upper	On micro®	<ul style="list-style-type: none"> Highly breathable and absorbent upper keeping ventilated feet. Antibacterial, light, eco-friendly. Washable, allows washing machine cycle up to 40° C. Very resistant to wear and tear, and also chemical agents. Soft, light and easy to clean. Does not age or split. Material with no chrome, (Oeko-Tex® standard 100).
Lining	Dermo Dry® Coolmax	<ul style="list-style-type: none"> Highly resistant fabric that speeds up the process of moisture absorption, ensuring skin is always dry. Moisture is continually drawn to the exterior and never returns to the skin, creating a pleasant and comfortable sensation. Highly perspiring, hydrophilic, breathable, and dry power. Thermal comfort: takes 90% of the generated heat away. Antibacterial protection. Material with no chrome, (Oeko-Tex® standard 100).
Insole	On micro® over PU foam	<ul style="list-style-type: none"> Thermy-Tex antibacterial treatment. Absorbs humidity. Comfort amplified.
Midsole	Ibitech 1.5 mm fabric	<ul style="list-style-type: none"> ANTI-STATIC HYDROPHILIC
Sole	Direct Injection polyurethane, expanded in mono density, with TPU® shank.	<ul style="list-style-type: none"> Extremely light and flexible. Non skid. Impact absorption, cushioning support. Hydrocarbons resistance. Insulates from excessive heat or cold temperatures. Wide feet contour. Ensures a well balanced arch support.

Piola Safety Sandal



Sizes: 34 - 48

Available Colours: ● ○

Safety toe cap



Greatly comfortable and closed back sandal to work in very warm environments; made through Direct Injection. The joint of upper and sole together is one piece molded shoe, neither stitched nor glued, which leads to: **Quality, durability, ultra light weight, best stability, flexible soles and Ergonomic values. It does not crack or age.**

Certified antistatic and non skid soles with shock absorption. Soft and breathable uppers with great resistance against chemical products, oils or solvents. Water resistant. Washable in washing machine. Their excellent thermal comfort **eliminates 90% of heat accumulation generated** in the feet, taking away all staff problems related with using inappropriate footwear.

Made according to the norm CE ISO EN 20 345. Safety code: S1

Component	Material	Characteristics and Benefits
Upper	On micro®	<ul style="list-style-type: none"> Highly breathable and absorbent upper keeping dry and ventilated feet. Water resistant. Antibacterial, light, ecological. Washable, allows washing machine cycle up to 40° C. Very resistant to wear and tear, and also chemical agents. Soft, light and easy to clean. Material with no chrome, (Oeko-Tex® standard 100).
Toe cup	Polycarbonate	<ul style="list-style-type: none"> Resistant to impact /200 joules. Non-metallic Very lightweight. Does not conduct electricity. UNE EN-ISO: 20345 Certified.
Lining	Dermo Dry® Coolmax	<ul style="list-style-type: none"> Highly resistant fabric that speeds up the process of moisture absorption, ensuring skin is always dry. Moisture is continually drawn to the exterior and never returns to the skin, creating a pleasant and comfortable sensation. Highly perspiring, hydrophilic, breathable, and dry power. Thermal comfort: takes 90% of the generated heat away. Antibacterial protection. Material with no chrome, (Oeko-Tex® standard 100).
Insole	On micro® over PU foam with copper thread	<ul style="list-style-type: none"> Thermy-Tex antibacterial treatment. Absorbs humidity. Antistatic resistance Comfort amplified.
Midsole	Ibitech 1.5 mm fabric	<ul style="list-style-type: none"> ANTI-STATIC HYDROPHILIC
Sole	Direct Injection polyurethane, expanded in mono density, with TPU' shank.	<ul style="list-style-type: none"> Extremely light and flexible. Non skid. Impact absorption, cushioning support. Hydrocarbons resistance. Insulates from excessive heat or cold temperatures. Wide feet contour. Ensures a well balanced arch support.